

EPA Pushes Tough Asbestos Standard

MATTHEW BROWN, Associated Press

BILLINGS, Mont. (AP) — A proposed standard for federal cleanup of asbestos contamination in a Montana town concludes that even a tiny amount of the material can lead to lung problems — a benchmark far more rigorous than any in the past and one that the industry says could force expensive and unnecessary cleanups across the country.

The Environmental Protection Agency's new proposal for the northwest Montana town of Libby, where asbestos dust has killed hundreds of people, would be 5,000 times tougher than the standard used in past cleanups addressing airborne asbestos.

W.R. Grace & Co., the Maryland chemical company blamed for pollution from its vermiculite mine that operated for decades, is pushing back against the EPA, suggesting sites across the country could be subjected to costly cleanups.

The ongoing Superfund cleanup in Libby has cost at least \$447 million since 1999 and is expected to last several more years. The town of about 3,000 people is about 40 miles south of the Canadian border.

Experts say the EPA proposal is a move long sought by advocates and fiercely resisted by the industry. An EPA board met this week to discuss Grace objections to the proposal, part of a pending risk study for Libby.

"In many respects it would be like banning it, getting it so low," said former assistant U.S. Surgeon General Richard Lemen, who now teaches at Emory University in Atlanta. "EPA is being realistic and saying, 'Look, we know there's asbestos out there and we're not going to get rid of all of it, but let's put our concentration as low as we possibly can.'"

EPA officials didn't respond to questions about the nationwide consequences of its plan. It would declare airborne asbestos concentrations exceeding two-100,000ths of a fiber per cubic centimeter pose a health risk. The EPA has previously taken action when the substance was airborne in amounts greater than one-tenth of a fiber per cubic centimeter.

But the Government Accountability Office has said the cleanup standard could affect some of the 200-plus industrial sites in 40 states that also received asbestos-tainted vermiculite from Grace's Montana mine. More than 20 of those sites, posing the highest health risks, have already been cleaned once. Most of those were processing plants where the mineral was heated at high temperatures so it could expand and be used for insulation in millions of homes.

The GAO and asbestos experts said the EPA risk assessment could force more

EPA Pushes Tough Asbestos Standard

Published on Chem.Info (<http://www.chem.info>)

cleanups. And Grace representatives and health officials said the EPA proposal could apply to other types of asbestos found in communities across the country.

In a letter to the EPA last week, Grace Vice President Karen Ethier said the standard would have "inevitable" consequences beyond Libby.

"That broad application will, in turn, result in enormous, unexpected and unnecessary costs to building owners, farmers and other property holders, including the federal government," Ethier said.

Manufacturing and trade groups and federal agencies including the White House Office of Management and Budget also have questioned the EPA proposal. They said the low threshold falls below even background asbestos levels seen in parts of the country.

Although the sale and manufacture of asbestos-containing materials is tightly regulated, the government has never established a safe level of human exposure for the type of the mineral found in Libby. While there are general cancer-based exposure limits for asbestos set by the Occupational Safety and Health Administration, the EPA proposal for the first time sets a risk level for non-cancer illnesses, such as the debilitating and potentially fatal lung disease asbestosis.

That's a crucial issue in Libby, where the Grace mine and processing plants for three decades left the town coated in asbestos dust that has killed an estimated 400 people and sickened at least 1,700 more. Health experts say the death toll is bound to rise because of the long latency period of asbestos-related illness.

The vermiculite was mined by Grace from a mountain outside town and shipped across the country for use as insulation, fertilizer, in fireproofing material and other commercial products.

The mine closed in 1990.

Health problems first noticed in mine workers have since become pervasive in Libby, affecting spouses who laundered their husbands' dust-covered clothes, generations of residents who played as children near Grace's processing plants and others.

In public testimony and filings with the EPA, Grace has argued that less-severe lung problems considered a sign of asbestos disease can be confused with other health problems, such as obesity. The company maintains that the science used by the EPA to craft its proposal was flawed and has urged the agency to do more research before moving forward.

The air is far cleaner in Libby today than it was when the EPA first arrived, removing thousands of truckloads of contaminated soil and replacing it with clean topsoil. But the agency has acknowledged some people in Libby are still at risk, particularly landscapers and others who stir asbestos-laden soil.

EPA Pushes Tough Asbestos Standard

Published on Chem.Info (<http://www.chem.info>)

Grace reached a \$250 million settlement with the EPA in 2008 to cover government cleanup costs in Libby and the surrounding area. The company remains responsible for cleaning up the mine site. Company executives accused of knowing of the health problems in the town were acquitted of federal criminal charges three years ago.

Arthur Frank, an occupational physician who has testified against Grace in asbestos litigation, said it was "disingenuous" for Grace to now argue against the EPA proposal.

"I don't even see why Grace gets a say in this matter. They're the ones that caused this disaster," said Frank, a professor at Drexel University School of Public Health in Philadelphia. "The situation in Libby specifically shows that minimal pleural disease carries with it significant physiological changes in the lungs."

The EPA has also proposed that a lung condition known as pleural thickening — caused when asbestos fibers lodge in the lungs and cause scarring — is an indicator of asbestos exposure that can lead to more harmful lung diseases including asbestosis.

Grace scientists have said medical professionals can easily mistake similar ailments caused by being overweight for asbestos exposure.

The EPA is to make a final decision on the standard for Libby sometime next year.

Earlier this week, the agency's science advisory board reviewing the proposal requested only limited revisions after Grace asked to send it back to scientists for further study.

Agnes Kane, a member of the EPA advisory board and chair of its Libby asbestos panel, said the government and Libby can't afford to wait.

"We certainly can't sit around and wait for these types of studies to be done," Kane said. "We have to use our best scientific judgment. It is necessary to proceed with the remediation of that Superfund site."

Source URL (retrieved on 05/03/2015 - 7:28am):

<http://www.chem.info/news/2012/09/epa-pushes-tough-asbestos-standard>