

A Groundbreaking Formaldehyde Meter



GrayWolf Sensing introduces its FM-801 continuous-measurement formaldehyde (HCHO) meter with:

- Accurate formaldehyde readings from less than 20 PPB to 1 PPM — without significant cross-sensitivity.
- A reusable sensor cartridge (up to 1,000 tests per cartridge at low formaldehyde levels) that employs the chemical reaction between formaldehyde and β -diketone on a porous glass — the yellowing that results from this reaction is measured via photoelectric photometry.
- The convenience of “re-zeroing” between 30-minute tests, which allows for continuous monitoring.
- An output for real-time connection to the company’s AdvancedSense™ meters, WolfPack™ area monitors and WolfSense™-enabled mobile PCs.
- The flexibility to use the base unit as an independent data logger, with data downloaded to the company’s WolfSense PC software.
- The inclusion of a mini-tripod, 5 sensor cartridges, a set of alkaline batteries, an AC adapter, WolfSense PC data transfer/reporting software (on CD-ROM or USB key), a USB download cable and a hard-shell carrying case.

salesteam@graywolfsensing.com [1]

www.graywolfsensing.com [2]

A Groundbreaking Formaldehyde Meter

Published on Chem.Info (<http://www.chem.info>)

Source URL (retrieved on 02/01/2015 - 10:08am):

http://www.chem.info/product-releases/2012/03/groundbreaking-formaldehyde-meter?qt-recent_content=0

Links:

[1] <mailto:salesteam@graywolfsensing.com>

[2] <http://www.graywolfsensing.com/>