

## A Chemical-Resistant, High-Strength Epoxy



With the ability to withstand acids, bases and many solvents, Master Bond EP62-1 is primarily used as an adhesive, sealant or coating where the epoxy will be exposed to very harsh conditions. The company says that this two-part epoxy additionally features:

- Thermal stability with a glass transition temperature exceeding 170°C.
- A long working life of over 12 hours at ambient temperatures and a forgiving 100 to 10 mix ratio by weight.
- Convenient color coding to facilitate uniform mixing (the color of Part A is clear and Part B is dark brown).
- It cures rapidly at moderately elevated temperatures, with schedules ranging from 4 to 6 hours at 60 to 70°C to 10 minutes at 125°C.
- It is a dimensionally stable epoxy that contains no solvents or diluents.
- A shelf life of one year in unopened, original containers.
- Availability in an assortment of packaging options, including ½ pints, pints, quarts, gallons and 5-gallon kits.
- Specialty packaging also is available in gun kits, and premixed and frozen syringes.

[technical@masterbond.com](mailto:technical@masterbond.com) [1]

[www.masterbond.com](http://www.masterbond.com) [2]

## **A Chemical-Resistant, High-Strength Epoxy**

Published on Chem.Info (<http://www.chem.info>)

---

### **Source URL (retrieved on 01/25/2015 - 6:59pm):**

[http://www.chem.info/product-releases/2013/01/chemical-resistant-high-strength-epoxy?qt-most\\_popular=1](http://www.chem.info/product-releases/2013/01/chemical-resistant-high-strength-epoxy?qt-most_popular=1)

### **Links:**

[1] <mailto:technical@masterbond.com>

[2] <http://www.masterbond.com>