

## Vibrating Rod Level Sensor



BinMaster's VR-41 vibrating rod level sensor can be used in containers for powders or dry bulk solid materials and is approved in the U.S. and Canada for hazardous locations. This vibrating rod level switch is used to detect high-, mid- and/or low-levels in bins, silos and hoppers.

- Single-rod probe design
- Sword-shaped probe resists bridging of material that can occur with tuning forks designs
- Piezoelectric-driven vibrating rod has very low energy
- Approval in CSA standards for Class II, Division I, Groups E, F and G for hazardous locations
- Enclosure type certifications of NEMA 4X, 5 and 12
- Three sensitivity settings
- Dual conduit entries for easy wiring
- An LED status indicator light to indicate sensor status
- A switch-selectable high/low fail-safe

[www.binmaster.com](http://www.binmaster.com) [1]

**Source URL (retrieved on 03/01/2015 - 10:28am):**

[http://www.chem.info/product-releases/2013/06/vibrating-rod-level-sensor?qt-most\\_popular=0](http://www.chem.info/product-releases/2013/06/vibrating-rod-level-sensor?qt-most_popular=0)

**Links:**

[1] <http://www.binmaster.com>

## **Vibrating Rod Level Sensor**

Published on Chem.Info (<http://www.chem.info>)

---